

THE WORLD'S FIRST 4K CAPABLE SDI VIDEO CARD RANGE WITH BI-DIRECTIONAL BNC'S PROVIDING UP TO 4K 60P CAPTURE AND PLAYBACK











ALL CARDS IN THE BLUEFISH444 EPOCH | 4K SUPERNOVA S+ RANGE COME WITH THE FOLLOWING FEATURES:



Bi-directional I/O's provide unrivalled flexibility

with industry standard BNC video connectors each allowing 3G/HD/SD SDI inputs or outputs.



Thunderbolt Expansion Chassis Compatibility

with popular manufacturers.



Up to 4K 60p UHD resolution input and output to give you the best possible image quality for your productions, no matter what you are doing.



Low Latency Video Keyer allowing video layers to be combined in hardware with just microseconds of delay.



Maintaining a 12-bit processing pipeline means that 4096 discrete values of red, green & blue are maintained per pixel; that's 4 times the colour precision of traditional 10-bit processing!



Maximum Connectivity including RS-422, 8 channels of AES EBU Audio, 2 channels of analogue audio, LTC, and auxilliary genlock.



Maintaining the highest quality RGB <=> YUV

includes a fully programmable $4 \times 4 \times 33$ -bit colour matrix colour space conversion.



Primary Hardware Colour Corrector using the Bluefish444 programmable matrix combined with the on-board 1D LUTs.



ĒPOCH **EB3005CGF**

- 2K/HD/SD SDI
- Up to 4 simultaneous and independant channels
- 2K up to 60 FPS
- Full-height, 2/3rd-length PCle


HD/SD

HD/SD

HD/SD

HD/SD

GENLOCK



BNC1

BNC₁

BNC2

BNC3

BNC4

BNC5

BNC6

BNC1

BNC2

BNC1

BNC2

















EB3005M \$3,995

4K SUPERNOVA S+ EX

\$4,270

EB3005MRL

SDI COPY/ BF LOCK

3G/HD/SD

3G/HD/SD

3G/HD/SD

3G/HD/SD

GENLOCK

• 4K/HD/SD SDI

- Up to 4 simultaneous and independant channels
- 4K up to 30 FPS
- Full-height, 2/3rd-length PCle
- Genlock BNC

- 4K/HD/SD SDI
- Up to 4 simultaneous and independant channels
- 4K up to 30 FPS
- Full-height, 2/3rd-length PCle
- AES/ANA/RS-422/LTC
- Genlock BNC



















EB3005MB

\$5,590

TURBO



- Up to 8 simultaneous and independant channels
- 4K up to 60 FPS Capture and Playback
- Full-height, 2/3rd-length PCle
- AES/ANA/RS-422/LTC
- Genlock BNC






















SDI COPY/ BF LOCK

3G/HD/SD

3G/HD/SD

3G/HD/SD

GENLOCK













FEATURE	EPOCH SUPERNOVA CG	EPOCH 4K SUPERNOVA S+	EPOCH 4K SUPERNOVA S+ EX	EPOCH 4K SUPERNOVA S+ TURBO
Max number of Bi-directional SDI I/Os	4	4	4	8
SD-SDI/1.5G HD-SDI/Dual Link 1.5G (4:2:2:4/4:4:4:4)	YES	YES	YES	YES
3G-SDI (Level A+B)/Dual Link 3G (Level A+B)	NO	YES	YES	YES
Quad Link 1.5/Quad Link 3G (Level A+B)	NO	YES*	YES*	YES
Full-height, 2/3rd-length PCle	YES	YES	YES	YES
Genlock BNC	YES	YES	YES	YES
SDI Monitor BNC	NO	YES	YES	YES
Breakout Cable 8 x AES Audio I/O, 2 x Analogue Audio OUT, RS-422, Auxiliary Genlock	NO	NO	NO	YES
Part Number	EB3005CGF	EB3005M	EB3005MRL	EB3005MB
MSRP (USD)	\$2,145	\$3,995	\$4,270	\$5,590

^{*}Not able to support 4 independent video channels at 3G.



Bluefish444 Symmetry is a proprietary integrated DI acquisition, review and play out software for Windows and is bundled FREE with all Bluefish444 video I/O cards.







Bluefish444 IngeSTore is a multichannel ingest tool capable of up to four independant streams of SD or HD video from separate SDI sources. Bundled FREE with all Bluefish444 video I/O cards.





Bluefish444 SDK is designed for developers who wish to integrate Bluefish444 video products into their own solutions, across Windows, macOS and Linux systems.







Capture directly to Avid MXF Op-Atom files, ready to use within Avid Media Composer and other compatible applications.

USD\$800



Capture directly to widely used compressed file formats ready for use within your video production or post-production workflow. Supports Edit-While-Record.

USD\$1,495

CROSS PLATFORM SUPPORT WITH INDUSTRY LEADING 3RD-PARTY SOFTWARE











































































For a comprehensive and up-to-date list of supported software, visit bluefish444.com/software

Bluefish444 | Telephone: +61 3 9682 9477 | Facsimile: +61 3 9682 9466 | info@bluefish444.com For worldwide reseller and distributor contact information, please go to bluefish444.com/contacts













